



DIN 2605 DİRSEK

90' DİRSEK

ÖLÇÜSÜ	DIN 2605				ANSI B 16,9				
	mm	NW	INCH.	DİKİŞLİ	DİKİŞSİZ	mm	SCH40	mm	SCH80
21,3X2,0	15	1/2"	0,94	1,30	2,7	2,40			
26,9X2,3	20	3/4"	1,06	1,70	3,2	2,40			
33,7X2,6	25	1"	1,11	1,80	3,4	2,40	4,5	6,80	
42,4X2,6	32	11/4"	1,19	1,90	3,6	2,60	4,8	6,90	
44,5X2,6			1,41						
48,3X2,6	40	11/2"	1,41	2,20	3,6	2,80	5	7,00	
51,0X2,6			2,70						
57,0X2,9			2,70						
60,3X2,9	50	2"	2,70	4,00	4	4,50	5,5	7,20	
63,5X2,9			4,30						
70,0X2,9			4,30						
76,1X2,9	65	21/2"	4,30	6,90	5	8,50	7	15,00	
82,5X3,2			5,90						
88,9X3,2	80	3"	5,90	9,50	5,5	13,50	7,6	25,00	
101,6X3,6			10,80						
108,0X3,6			10,80						
114,3X3,6	100	4"	10,80	16,70	6,2	25,00	8,5	42,00	
133,0X4,0			18,70						
139,7X4,0	125	5"	18,70	30,60	6,3	38,00	9,5	73,00	
159,0X4,5			25,50						
168,3X4,5	150	6"	25,50	42,60	7,1	61,00	11	140,00	
219,1X4,5	200	8"	52,70						
219,1X5,9	200	8"	85,00	106,00	8,2	123,00	12,7	258,00	
273,0X6,3	250	10"	180,00	210,00	9,3	266,00	12,7	450,00	
323,9X7,1	300	12"	270,00	334,00	9,5	396,00	12,7	644,00	
355,6X8,0	350	14"	370,00	396,00	9,5	489,00	12,7	807,00	
406,4X8,8	400	16"	540,00	656,00	9,5	730,00	12,7	1.149,00	

45' dirsek özel siparişe göre yapılır.
45' dirseklerimizin fiyatı 90' dirsek fiyatlarımızla aynıdır.

İhbar etmeksizin fiyat değiştirme hakkımız saklıdır.



01/10/2010



TS ISO 7005-1 NORMUNA UYGUN FLANŞ

ÖLÇÜSÜ	DÜZ FLANŞ					KÖR-BORULU FLANŞ					
	NW	ND 6	ND 10	ND 16	ND 25	ND 40	ND 6	ND 10	ND 16	ND 25	ND 40
15	5,00	5,10	5,10	5,10	5,10	5,10	7,70	7,80	7,80	7,80	7,80
20	7,20	7,30	7,30	7,30	7,30	7,30	11,00	11,20	11,20	11,20	11,20
25	8,20	8,30	8,30	8,30	8,30	8,30	12,50	12,70	12,70	12,70	12,70
32	10,20	10,80	10,80	10,80	10,80	10,80	15,70	16,40	16,40	16,40	16,40
40	11,80	12,30	12,30	12,30	12,30	12,30	18,00	18,80	18,80	18,80	18,80
50	15,90	16,40	16,40	16,40	16,40	16,40	24,20	25,00	25,00	25,00	25,00
65	19,90	20,40	20,40	28,00	28,00	28,00	30,50	31,30	31,30	42,90	42,90
80	23,50	24,50	24,50	39,00	39,00	39,00	35,90	37,50	37,50	59,70	59,70
100	25,50	26,60	26,60	57,00	57,00	57,00	39,10	40,60	40,60	87,30	87,30
125	33,70	34,70	34,70	78,00	78,00	78,00	51,50	53,10	53,10	119,40	119,40
150	47,00	48,00	48,00	89,00	89,00	89,00	72,00	74,00	74,00	136,20	136,20
200	61,20	62,30	62,30	138,00	169,00	169,00	94,00	96,00	96,00	212,00	259,00
250	128,00	131,00	145,00	208,00	287,00	287,00	196,00	201,00	222,00	319,00	440,00
300	171,00	174,00	214,00	295,00	424,00	424,00	262,00	267,00	328,00	452,00	649,00
350	237,00	240,00	294,00	432,00	613,00	613,00	363,00	368,00	450,00	661,00	938,00
400	317,00	320,00	396,00	590,00	865,00	865,00	485,00	490,00	606,00	903,00	1324,00
450	407,00	410,00	530,00	743,00	1.018,00	1.018,00	623,00	628,00	811,00	1.137,00	1.558,00
500	523,00	526,00	719,00	983,00	1.344,00	1.344,00	800,00	805,00	1.100,00	1.504,00	2.057,00
600	777,00	780,00	1.114,00	1.584,00	2.162,00	2.162,00	1.189,00	1.194,00	1.705,00	2.424,00	3.308,00

DIN NORMUNA UYGUN FLANŞ

ÖLÇÜSÜ NW	DÜZ FLANŞ					KÖR-BORULU FLANŞ				
250	111,00	112,00	113,00	233,00	238,00	169,00	171,00	172,00	356,00	364,00
300	140,00	142,00	143,00	286,00	290,00	214,00	217,00	219,00	437,00	444,00
350	204,00	209,00	210,00	374,00	383,00	313,00	319,00	320,00	572,00	586,00
400	271,00	275,00	276,00	579,00	589,00	414,00	420,00	422,00	885,00	901,00
450	363,00	368,00	378,00	710,00	720,00	555,00	562,00	578,00	1087,00	1101,00
500	454,00	459,00	470,00	851,00	864,00	695,00	703,00	718,00	1302,00	1322,00
600	674,00	684,00	694,00	1.355,00	1.377,00	1.030,00	1.046,00	1.062,00	2.073,00	2.107,00

KAYNAK BOYUNLU FLANŞ

ÖLÇÜSÜ	2632	2633	2634	2635
	NW	ND 10	ND 16	ND 25
15	7,20	7,20	7,20	7,20
20	10,20	10,20	10,20	10,20
25	11,30	11,30	11,30	11,30
32	17,40	17,40	17,40	17,40
40	20,40	20,40	20,40	20,40
50	24,50	24,50	24,50	24,50
65	32,70	32,70	37,00	37,00
80	38,80	38,80	47,00	47,00
100	49,00	49,00	62,00	62,00
125	61,20	61,20	82,00	82,00
150	72,00	72,00	92,00	92,00
200	113,00	113,00	146,00	171,00

ÖNEMLİ NOT :
DIN NORMUNA
UYGUN
FLANŞLAR
05/12/2010
TARİHİNDEN
İTİBAREN
ZORUNLU
STANDARDA
GEÇİLDİKTEN
SONRA
GEÇERLİLİĞİNİ
KAYBEDECEKTİR.

SLIP-ON FLANŞ

ÖLÇÜSÜ		
	NW	150 LB
15	SORUNUZ	SORUNUZ
20	SORUNUZ	SORUNUZ
25	SORUNUZ	SORUNUZ
32	SORUNUZ	SORUNUZ
40	SORUNUZ	SORUNUZ
50	SORUNUZ	SORUNUZ
65	SORUNUZ	SORUNUZ
80	39,00	SORUNUZ
100	49,00	SORUNUZ
125	SORUNUZ	SORUNUZ
150	72,00	SORUNUZ
200	113,00	SORUNUZ



SCH40 REDÜKSİYONLAR TS 2649/ 7

ÖLÇÜSÜ INCH.	KONSANTRİK REDÜKSİYON	EKSANTRİK REDÜKSİYON
3/4-1/2	0,85	2,60
1-3/4	1,10	3,40
1-1/2	1,30	4,80
11/4-1	1,70	4,80
11/4-3/4	2,00	6,70
11/4-1/2	4,10	
11/2-11/4	2,30	6,20
11/2-1	2,60	7,60
11/2-3/4	4,60	14,30
11/2-1/2	6,20	
2-11/2	3,40	8,70
2-11/4	3,90	9,20
2-1	5,10	19,40
2-3/4	7,20	
21/2-2	7,20	9,20
21/2-11/2	8,20	11,30
21/2-11/4	9,20	18,40
21/2-1	12,30	
3-21/2	10,20	12,30
3-2	11,80	15,30
3-11/2	16,00	20,40
3-11/4	19,00	
4-3	16,00	18,40
4-21/2	18,00	22,50
4-2	21,00	33,00
4-11/2	25,00	
5-4	23,00	28,00
5-3	27,00	33,00
5-21/2	33,00	51,00
5-2	41,00	
6-5	34,00	41,00
6-4	39,00	49,00
6-3	47,00	82,00
6-21/2	55,00	
8-6	57,00	68,00
8-5	68,00	82,00
8-4	82,00	
8-3	97,00	
10-8	102,00	123,00
10-6	123,00	147,00
10-5	147,00	
12-10	143,00	174,00
12-8	159,00	209,00
12-6	204,00	
14-12	281,00	337,00
14-10	306,00	408,00

SCH40 ORJİNAL-İNEGAL TE TS 2649/6

ÖLÇÜSÜ INCH.	FİYAT
1/2	4,10
3/4	4,90
3/4-1/2-3/4	6,50
1	5,20
1-3/4-1	7,20
1-1/2-1	7,20
11/4	7,60
11/4-1-11/4	9,30
11/4-3/4-11/4	9,30
11/2	8,30
11/2-11/4-11/2	10,20
11/2-1-11/2	10,20
11/2-3/4-11/2	10,20
2	10,60
2-11/2-2	15,00
2-11/4-2	15,00
2-1-2	15,00
21/2	18,00
21/2-2-21/2	24,00
21/2-11/2-21/2	24,00
21/2-11/4-21/2	24,00
3	25,00
3-21/2-3	32,00
3-2-3	32,00
3-11/2-3	32,00
4	43,00
4-3-4	49,00
4-21/2-4	49,00
4-2-4	49,00
5	71,00
5-4-5	85,00
5-3-5	85,00
5-21/2-5	85,00
6	102,00
6-5-6	118,00
6-4-6	118,00
6-3-6	118,00
8	174,00
8-6-8	189,00
8-5-8	189,00
8-4-8	189,00
10	343,00
10-8-10	378,00
10-6-10	378,00
10-5-10	378,00
12	530,00



01/10/2010

MANŞON				
ÖLÇÜSÜ	S.İNCE	S.KALIN	G.İNCE	G.KALIN
1/2"	0,38	0,58	0,51	0,79
3/4"	0,59	0,82	0,76	1,03
1"	0,82	1,18	1,03	1,45
1 1/4"	1,25	1,80	1,70	2,50
1 1/2"	1,75	2,35	2,70	3,20
2"	3,30	4,50	4,40	5,80
2 1/2"	5,40	7,20	7,40	8,90
3"	7,60	9,20	9,40	11,70
4"	10,60	14,00	13,70	16,30
5"		32,30		36,00
6"		37,60		49,50

KALORİFER FLANŞI		
NW	DÜZ	BORULU
40	6,00	7,80
50	7,20	9,30
65	9,50	12,40
80	12,30	16,00
100	15,30	20,00
125	19,00	24,50
150	22,50	29,60
200	35,70	47,00
250	51,00	66,30
300	68,00	88,00

CONTA			
NW	BUHAR	LASTİK	KALORİFER
15	0,21		
20	0,27		
25	0,42		
32	0,55	1,10	
40	0,72	1,15	0,70
50	0,97	1,40	0,95
65	1,15	1,60	1,10
80	1,45	2,00	1,40
100	1,75	2,50	1,75
125	2,20	3,50	2,15
150	2,80	3,90	2,80
200	4,20	6,60	4,10
250	6,00	8,30	5,90
300	10,00	11,00	9,80

ÖLÇÜ	KEP TS 2649/5
1"	4,10
1 1/4"	4,60
1 1/2"	5,10
2"	5,70
2 1/2"	6,20
3"	7,20
4"	11,30
5"	17,40
6"	24,50
8"	43,00
10"	79,00
12"	102,00
14"	133,00
16"	164,00